

## **ANALYTICAL REPORT**

Job Number: 420-110103-1

SDG Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

Job Description: Orange-Ulster BOCES

For:

Orange-Ulster BOCES

53 Gibson Road

Goshen, NY 10924

Attention: Jack DeGraw



---

Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

09/22/2016

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

**Job Narrative**  
**420-J110103-1**

**Comments**

Results are compared to NYSDOH drinking water standards other federal regulations may apply.

No additional comments.

**Receipt**

All samples were received in good condition within temperature requirements.

**Metals**

No analytical or quality issues were noted.

## METHOD SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-110103-1

SDG Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

<b>Description</b>	<b>Lab Location</b>	<b>Method</b>	<b>Preparation Method</b>
<b>Matrix: Water</b>			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200

### Lab References:

EnvTest = EnviroTest

### Method References:

EPA = US Environmental Protection Agency

**METHOD / ANALYST SUMMARY**

Client: Orange-Ulster BOCES

Job Number: 420-110103-1  
SDG Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

<b>Method</b>	<b>Analyst</b>	<b>Analyst ID</b>
EPA 200.8 Rev.5.4	Sirico, Derek	DS

## SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-110103-1  
SDG Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-110103-1	Room 121 -Art Room sink	Drinking Water	09/13/2016 0433	09/13/2016 1144
420-110103-2	Boy's bathroom across from boiler room left sink	Drinking Water	09/13/2016 0435	09/13/2016 1144
420-110103-3	Boy's bathroom across from boiler room right sink	Drinking Water	09/13/2016 0436	09/13/2016 1144
420-110103-4	Boy's BR across from bolier rm center spigot	Drinking Water	09/13/2016 0437	09/13/2016 1144
420-110103-5	Girl's bathroom sink across from boiler room	Drinking Water	09/13/2016 0438	09/13/2016 1144
420-110103-6	Classroom 39 sink	Drinking Water	09/13/2016 0404	09/13/2016 1144
420-110103-7	Classroom 24 sink	Drinking Water	09/13/2016 0441	09/13/2016 1144
420-110103-8	Classroom 38 sink	Drinking Water	09/13/2016 0441	09/13/2016 1144
420-110103-9	Classroom 25 sink	Drinking Water	09/13/2016 0442	09/13/2016 1144
420-110103-10	Classroom 37 sink	Drinking Water	09/13/2016 0443	09/13/2016 1144
420-110103-11	Classroom 26 sink	Drinking Water	09/13/2016 0444	09/13/2016 1144
420-110103-12	Classroom 36 sink	Drinking Water	09/13/2016 0444	09/13/2016 1144
420-110103-13	Classroom 27 sink	Drinking Water	09/13/2016 0445	09/13/2016 1144
420-110103-14	Classroom 35 sink	Drinking Water	09/13/2016 0446	09/13/2016 1144
420-110103-15	Classroom 28 sink	Drinking Water	09/13/2016 0446	09/13/2016 1144
420-110103-16	Gang BR next to Food service office 1st sink	Drinking Water	09/13/2016 0448	09/13/2016 1144
420-110103-17	Gang BR next to Food service office 2nd sink	Drinking Water	09/13/2016 0448	09/13/2016 1144
420-110103-18	Gang BR next to Food service office 3rd sink	Drinking Water	09/13/2016 0449	09/13/2016 1144
420-110103-19	Gang BR next to Food service office 4th sink	Drinking Water	09/13/2016 0449	09/13/2016 1144
420-110103-20	Slop sink next to Food Service Office	Drinking Water	09/13/2016 0450	09/13/2016 1144
420-110103-21	Faculty Room Bathroom on Left	Drinking Water	09/13/2016 0453	09/13/2016 1144
420-110103-22	Faculty Room Bathroom on Right	Drinking Water	09/13/2016 0454	09/13/2016 1144
420-110103-23	Copy Room Bathroom Sink	Drinking Water	09/13/2016 0456	09/13/2016 1144
420-110103-24	Office Bathroom sink	Drinking Water	09/13/2016 0457	09/13/2016 1144
420-110103-25	Library water fountain in AP's Office	Drinking Water	09/13/2016 0458	09/13/2016 1144
420-110103-26	AP's Office (176E) Boy's BR sink on right	Drinking Water	09/13/2016 0500	09/13/2016 1144
420-110103-27	AP's Office (176E) Boy's bathroom sink on left	Drinking Water	09/13/2016 0501	09/13/2016 1144
420-110103-28	AP's Office (176E) Girl's bathroom sink on left	Drinking Water	09/13/2016 0501	09/13/2016 1144
420-110103-29	AP's Office (176E) Girl's bathroom sink on right	Drinking Water	09/13/2016 0502	09/13/2016 1144
420-110103-30	Nurse's Bathroom sink	Drinking Water	09/13/2016 0503	09/13/2016 1144
420-110103-31	Room 96 Psychologist sink	Drinking Water	09/13/2016 0505	09/13/2016 1144
420-110103-32	(170D) Girl's locker room sink	Drinking Water	09/13/2016 0507	09/13/2016 1144
420-110103-33	(170C) Boy's locker room sink	Drinking Water	09/13/2016 0508	09/13/2016 1144

## SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-110103-1  
SDG Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-110103-34	Kindergarten wing slop sink	Drinking Water	09/13/2016 0510	09/13/2016 1144
420-110103-35	Classroom 94 Bathroom sink	Drinking Water	09/13/2016 0511	09/13/2016 1144
420-110103-36	Classroom 94 sink	Drinking Water	09/13/2016 0511	09/13/2016 1144
420-110103-37	Classroom 86 sink	Drinking Water	09/13/2016 0512	09/13/2016 1144
420-110103-38	Classroom 86 bathroom sink	Drinking Water	09/13/2016 0513	09/13/2016 1144
420-110103-39	Classroom 93 sink	Drinking Water	09/13/2016 0513	09/13/2016 1144
420-110103-40	Classroom 93 bathroom sink	Drinking Water	09/13/2016 0514	09/13/2016 1144
420-110103-41	Classroom 87 sink	Drinking Water	09/13/2016 0514	09/13/2016 1144
420-110103-42	Classroom 87 bathroom sink	Drinking Water	09/13/2016 0515	09/13/2016 1144
420-110103-43	Classroom 92 sink	Drinking Water	09/13/2016 0515	09/13/2016 1144
420-110103-44	Classroom 92 bathroom sink	Drinking Water	09/13/2016 0516	09/13/2016 1144
420-110103-45	Classroom 88 sink	Drinking Water	09/13/2016 0516	09/13/2016 1144
420-110103-46	Classroom 88 bathroom sink	Drinking Water	09/13/2016 0517	09/13/2016 1144
420-110103-47	Classroom 91 sink	Drinking Water	09/13/2016 0517	09/13/2016 1144
420-110103-48	Classroom 91 bathroom sink	Drinking Water	09/13/2016 0518	09/13/2016 1144
420-110103-49	Classroom 89 sink	Drinking Water	09/13/2016 0518	09/13/2016 1144
420-110103-50	Classroom 89 bathroom sink	Drinking Water	09/13/2016 0519	09/13/2016 1144
420-110103-51	Boy's Bathroom next to GYM	Drinking Water	09/13/2016 0522	09/13/2016 1144
420-110103-52	Girl's Bathroom sink next to GYM	Drinking Water	09/13/2016 0522	09/13/2016 1144
420-110103-53	2nd floor Boy's bathroom sink by elevator	Drinking Water	09/13/2016 0526	09/13/2016 1144
420-110103-54	2nd floor Girl's bathroom sink by elevator	Drinking Water	09/13/2016 0526	09/13/2016 1144
420-110103-55	2nd floor slop sink by elevator	Drinking Water	09/13/2016 0527	09/13/2016 1144
420-110103-56	Classroom 242 sink	Drinking Water	09/13/2016 0531	09/13/2016 1144
420-110103-57	Classroom 224 sink	Drinking Water	09/13/2016 0532	09/13/2016 1144
420-110103-58	Classroom 241 sink	Drinking Water	09/13/2016 0532	09/13/2016 1144
420-110103-59	Classroom 225 sink	Drinking Water	09/13/2016 0533	09/13/2016 1144
420-110103-60	Classroom 240 sink	Drinking Water	09/13/2016 0533	09/13/2016 1144
420-110103-61	Classroom 226 sink	Drinking Water	09/13/2016 0534	09/13/2016 1144
420-110103-62	Classroom 239 sink	Drinking Water	09/13/2016 0534	09/13/2016 1144
420-110103-63	Classroom 227 sink	Drinking Water	09/13/2016 0535	09/13/2016 1144
420-110103-64	Classroom 238 sink	Drinking Water	09/13/2016 0535	09/13/2016 1144
420-110103-65	Classroom 229 Bathroom sink	Drinking Water	09/13/2016 0536	09/13/2016 1144
420-110103-66	2nd grade bathroom 1st sink on left	Drinking Water	09/13/2016 0537	09/13/2016 1144
420-110103-67	2nd grade bathroom 2nd sink from left	Drinking Water	09/13/2016 0538	09/13/2016 1144

## SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-110103-1  
SDG Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-110103-68	2nd grade bathroom 3rd sink from left	Drinking Water	09/13/2016 0533	09/13/2016 1144
420-110103-69	2nd grade bathroom 4th sink from left	Drinking Water	09/13/2016 0539	09/13/2016 1144
420-110103-70	Slop sink acrss from 2nd grade bathrooms	Drinking Water	09/13/2016 0540	09/13/2016 1144
420-110103-71	Outside spigot by barrel room	Drinking Water	09/13/2016 0548	09/13/2016 1144
420-110103-72	Courtyard spigot #1	Drinking Water	09/13/2016 0555	09/13/2016 1144
420-110103-73	Courtyard spigot #2	Drinking Water	09/13/2016 0557	09/13/2016 1144
420-110103-74	Courtyard spigot #3	Drinking Water	09/13/2016 0559	09/13/2016 1144
420-110103-75	PPS Bathroom sink	Drinking Water	09/13/2016 0602	09/13/2016 1144
420-110103-76	PPS Bldg. Water Fountain	Drinking Water	09/13/2016 0602	09/13/2016 1144
420-110103-77	PPS Slop Sink	Drinking Water	09/13/2016 0606	09/13/2016 1144
420-110103-78	Outside spigot behind PPS	Drinking Water	09/13/2016 0608	09/13/2016 1144
420-110103-79	Outside spigt by flag	Drinking Water	09/13/2016 0609	09/13/2016 1144
420-110103-80	Spigot by kindergarten wing enterance	Drinking Water	09/13/2016 0629	09/13/2016 1144
420-110103-81	Spigot by Playground	Drinking Water	09/13/2016 0631	09/13/2016 1144
420-110103-82	Spigot by Playground #2	Drinking Water	09/13/2016 0633	09/13/2016 1144
420-110103-83	Spigot by Playground #3	Drinking Water	09/13/2016 0636	09/13/2016 1144

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Room 121 -Art Room sink  
**Lab Sample ID:** 420-110103-1

Date Sampled: 09/13/2016 0433  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1144	
Prep Method: 200			Date Prepared:	09/16/2016 0845	
Pb	2.66	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Boy's bathroom across from boiler room left  
**Lab Sample ID:** 420-110103-2

Date Sampled: 09/13/2016 0435  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1155		
Prep Method: 200			Date Prepared: 09/16/2016 0845		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Boy's bathroom across from boiler room right  
**Lab Sample ID:** 420-110103-3

Date Sampled: 09/13/2016 0436  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1158	
Prep Method: 200			Date Prepared:	09/16/2016 0845	
Pb	1.60	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Boy's BR across from boiler rm center spigot  
**Lab Sample ID:** 420-110103-4

Date Sampled: 09/13/2016 0437  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1202	
Prep Method: 200			Date Prepared:	09/16/2016 0845	
Pb	105 g	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Girl's bathroom sink across from boiler room  
**Lab Sample ID:** 420-110103-5

Date Sampled: 09/13/2016 0438  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1205		
Prep Method: 200			Date Prepared: 09/16/2016 0845		
Pb	6.98	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 39 sink  
**Lab Sample ID:** 420-110103-6

Date Sampled: 09/13/2016 0404  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1209	
Prep Method: 200			Date Prepared:	09/16/2016 0845	
Pb	13.1	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 24 sink  
**Lab Sample ID:** 420-110103-7

Date Sampled: 09/13/2016 0441  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1212	
Prep Method: 200			Date Prepared:	09/16/2016 0845	
Pb	4.14	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 38 sink  
**Lab Sample ID:** 420-110103-8

Date Sampled: 09/13/2016 0441  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1216	
Prep Method: 200			Date Prepared:	09/16/2016 0845	
Pb	2.36	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 25 sink  
**Lab Sample ID:** 420-110103-9

Date Sampled: 09/13/2016 0442  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1219	
Prep Method: 200			Date Prepared:	09/16/2016 0845	
Pb	1.00 U	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 37 sink  
**Lab Sample ID:** 420-110103-10

Date Sampled: 09/13/2016 0443  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1223	
Prep Method: 200			Date Prepared:	09/16/2016 0845	
Pb	5.42	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 26 sink  
**Lab Sample ID:** 420-110103-11

Date Sampled: 09/13/2016 0444  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1226	
Prep Method: 200			Date Prepared:	09/16/2016 0845	
Pb	1.47	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 36 sink  
**Lab Sample ID:** 420-110103-12

Date Sampled: 09/13/2016 0444  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 2212	
Prep Method: 200			Date Prepared:	09/16/2016 0845	
Pb	1180 g	ug/L	50.0	50.0	50

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 27 sink  
**Lab Sample ID:** 420-110103-13

Date Sampled: 09/13/2016 0445  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1240	
Prep Method: 200			Date Prepared:	09/16/2016 0845	
Pb	2.74	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 35 sink  
**Lab Sample ID:** 420-110103-14

Date Sampled: 09/13/2016 0446  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1244	
Prep Method: 200			Date Prepared:	09/16/2016 0845	
Pb	1.71	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 28 sink  
**Lab Sample ID:** 420-110103-15

Date Sampled: 09/13/2016 0446  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1247	
Prep Method: 200			Date Prepared:	09/16/2016 0845	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Gang BR next to Food service office 1st sink  
**Lab Sample ID:** 420-110103-16

Date Sampled: 09/13/2016 0448  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1251		
Prep Method: 200			Date Prepared: 09/16/2016 0845		
Pb	1.81	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Gang BR next to Food service office 2nd sink  
**Lab Sample ID:** 420-110103-17

Date Sampled: 09/13/2016 0448  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1254		
Prep Method: 200			Date Prepared: 09/16/2016 0935		
Pb	1.79	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Gang BR next to Food service office 3rd sink  
**Lab Sample ID:** 420-110103-18

Date Sampled: 09/13/2016 0449  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1308		
Prep Method: 200			Date Prepared: 09/16/2016 0935		
Pb	1.05	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Gang BR next to Food service office 4th sink  
**Lab Sample ID:** 420-110103-19

Date Sampled: 09/13/2016 0449  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1319		
Prep Method: 200			Date Prepared: 09/16/2016 0935		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Slop sink next to Food Service Office  
**Lab Sample ID:** 420-110103-20

Date Sampled: 09/13/2016 0450  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1323	
Prep Method: 200			Date Prepared:	09/16/2016 0935	
Pb	2.32	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Faculty Room Bathroom on Left  
**Lab Sample ID:** 420-110103-21

Date Sampled: 09/13/2016 0453  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1326		
Prep Method: 200			Date Prepared: 09/16/2016 0935		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Faculty Room Bathroom on Right  
**Lab Sample ID:** 420-110103-22

Date Sampled: 09/13/2016 0454  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1330	
Prep Method: 200			Date Prepared:	09/16/2016 0935	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Copy Room Bathroom Sink  
**Lab Sample ID:** 420-110103-23

Date Sampled: 09/13/2016 0456  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1333	
Prep Method: 200			Date Prepared:	09/16/2016 0935	
Pb	15.7 g	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Office Bathroom sink  
**Lab Sample ID:** 420-110103-24

Date Sampled: 09/13/2016 0457  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1337	
Prep Method: 200			Date Prepared:	09/16/2016 0935	
Pb	2.52	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Library water fountain in AP's Office  
**Lab Sample ID:** 420-110103-25

Date Sampled: 09/13/2016 0458  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1340	
Prep Method: 200			Date Prepared:	09/16/2016 0935	
Pb	10.7	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** AP's Office (176E) Boy's BR sink on right  
**Lab Sample ID:** 420-110103-26

Date Sampled: 09/13/2016 0500  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1344	
Prep Method: 200			Date Prepared:	09/16/2016 0935	
Pb	2.08	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** AP's Offcie (176E) Boy's bathroom sink on left  
**Lab Sample ID:** 420-110103-27

Date Sampled: 09/13/2016 0501  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1347		
Prep Method: 200			Date Prepared: 09/16/2016 0935		
Pb	6.29	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** AP's Offcie (176E) Girl's bathroom sink on left  
**Lab Sample ID:** 420-110103-28

Date Sampled: 09/13/2016 0501  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1351	
Prep Method: 200			Date Prepared:	09/16/2016 0935	
Pb	3.55	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** AP's Offcie (176E) Girl's bathroom sink on right  
**Lab Sample ID:** 420-110103-29

Date Sampled: 09/13/2016 0502  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1401	
Prep Method: 200			Date Prepared:	09/16/2016 0935	
Pb	1.91	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Nurse's Bathroom sink  
**Lab Sample ID:** 420-110103-30

Date Sampled: 09/13/2016 0503  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1405	
Prep Method: 200			Date Prepared:	09/16/2016 0935	
Pb	4.98	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Room 96 Psychologist sink  
**Lab Sample ID:** 420-110103-31

Date Sampled: 09/13/2016 0505  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1408	
Prep Method: 200			Date Prepared:	09/16/2016 0935	
Pb	41.9 g	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** (170D) Girl's locker room sink  
**Lab Sample ID:** 420-110103-32

Date Sampled: 09/13/2016 0507  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1412	
Prep Method: 200			Date Prepared:	09/16/2016 0935	
Pb	2.37	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** (170C) Boy's locker room sink  
**Lab Sample ID:** 420-110103-33

Date Sampled: 09/13/2016 0508  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1415	
Prep Method: 200			Date Prepared:	09/16/2016 0935	
Pb	7.88	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Kindergarten wing slop sink  
**Lab Sample ID:** 420-110103-34

Date Sampled: 09/13/2016 0510  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1419	
Prep Method: 200			Date Prepared:	09/16/2016 0935	
Pb	4.06	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 94 Bathroom sink  
**Lab Sample ID:** 420-110103-35

Date Sampled: 09/13/2016 0511  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1422	
Prep Method: 200			Date Prepared:	09/16/2016 0935	
Pb	4.00	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 94 sink  
**Lab Sample ID:** 420-110103-36

Date Sampled: 09/13/2016 0511  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1426		
Prep Method: 200			Date Prepared: 09/16/2016 0935		
Pb	4.91	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 86 sink  
**Lab Sample ID:** 420-110103-37

Date Sampled: 09/13/2016 0512  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1545	
Prep Method: 200			Date Prepared:	09/16/2016 1008	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 86 bathroom sink  
**Lab Sample ID:** 420-110103-38

Date Sampled: 09/13/2016 0513  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1559	
Prep Method: 200			Date Prepared:	09/16/2016 1008	
Pb	4.11	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 93 sink  
**Lab Sample ID:** 420-110103-39

Date Sampled: 09/13/2016 0513  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1602	
Prep Method: 200			Date Prepared:	09/16/2016 1008	
Pb	1.42	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 93 bathroom sink  
**Lab Sample ID:** 420-110103-40

Date Sampled: 09/13/2016 0514  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1606	
Prep Method: 200			Date Prepared:	09/16/2016 1008	
Pb	4.47	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 87 sink  
**Lab Sample ID:** 420-110103-41

Date Sampled: 09/13/2016 0514  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1609	
Prep Method: 200			Date Prepared:	09/16/2016 1008	
Pb	1.00 U	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 87 bathroom sink  
**Lab Sample ID:** 420-110103-42

Date Sampled: 09/13/2016 0515  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1613	
Prep Method: 200			Date Prepared:	09/16/2016 1008	
Pb	2.69	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 92 sink  
**Lab Sample ID:** 420-110103-43

Date Sampled: 09/13/2016 0515  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1623	
Prep Method: 200			Date Prepared:	09/16/2016 1008	
Pb	9.68	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 92 bathroom sink  
**Lab Sample ID:** 420-110103-44

Date Sampled: 09/13/2016 0516  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1627	
Prep Method: 200			Date Prepared:	09/16/2016 1008	
Pb	4.08	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 88 sink  
**Lab Sample ID:** 420-110103-45

Date Sampled: 09/13/2016 0516  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1630	
Prep Method: 200			Date Prepared:	09/16/2016 1008	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 88 bathroom sink  
**Lab Sample ID:** 420-110103-46

Date Sampled: 09/13/2016 0517  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1634	
Prep Method: 200			Date Prepared:	09/16/2016 1008	
Pb	4.68	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 91 sink  
**Lab Sample ID:** 420-110103-47

Date Sampled: 09/13/2016 0517  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1637	
Prep Method: 200			Date Prepared:	09/16/2016 1008	
Pb	4.06	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 91 bathroom sink  
**Lab Sample ID:** 420-110103-48

Date Sampled: 09/13/2016 0518  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1641	
Prep Method: 200			Date Prepared:	09/16/2016 1008	
Pb	8.19	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 89 sink  
**Lab Sample ID:** 420-110103-49

Date Sampled: 09/13/2016 0518  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1644	
Prep Method: 200			Date Prepared:	09/16/2016 1008	
Pb	1.00 U	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 89 bathroom sink  
**Lab Sample ID:** 420-110103-50

Date Sampled: 09/13/2016 0519  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1648	
Prep Method: 200			Date Prepared:	09/16/2016 1008	
Pb	4.26	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Boy's Bathroom next to GYM  
**Lab Sample ID:** 420-110103-51

Date Sampled: 09/13/2016 0522  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1651	
Prep Method: 200			Date Prepared:	09/16/2016 1008	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Girl's Bathroom sink next to GYM  
**Lab Sample ID:** 420-110103-52

Date Sampled: 09/13/2016 0522  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1655		
Prep Method: 200			Date Prepared: 09/16/2016 1008		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** 2nd floor Boy's bathroom sink by elevator  
**Lab Sample ID:** 420-110103-53

Date Sampled: 09/13/2016 0526  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1705		
Prep Method: 200			Date Prepared: 09/16/2016 1008		
Pb	1.12	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** 2nd floor Girl's bathroom sink by elevator  
**Lab Sample ID:** 420-110103-54

Date Sampled: 09/13/2016 0526  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1709		
Prep Method: 200			Date Prepared: 09/16/2016 1008		
Pb	1.12	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** 2nd floor slop sink by elevator  
**Lab Sample ID:** 420-110103-55

Date Sampled: 09/13/2016 0527  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1712	
Prep Method: 200			Date Prepared:	09/16/2016 1008	
Pb	2.55	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 242 sink  
**Lab Sample ID:** 420-110103-56

Date Sampled: 09/13/2016 0531  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1716		
Prep Method: 200			Date Prepared: 09/16/2016 1008		
Pb	19.9 g	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 224 sink  
**Lab Sample ID:** 420-110103-57

Date Sampled: 09/13/2016 0532  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1719	
Prep Method: 200			Date Prepared:	09/16/2016 1040	
Pb	4.69	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 241 sink  
**Lab Sample ID:** 420-110103-58

Date Sampled: 09/13/2016 0532  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1733	
Prep Method: 200			Date Prepared:	09/16/2016 1040	
Pb	2.54	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 225 sink  
**Lab Sample ID:** 420-110103-59

Date Sampled: 09/13/2016 0533  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1737	
Prep Method: 200			Date Prepared:	09/16/2016 1040	
Pb	3.30	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 240 sink  
**Lab Sample ID:** 420-110103-60

Date Sampled: 09/13/2016 0533  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1747	
Prep Method: 200			Date Prepared:	09/16/2016 1040	
Pb	4.64	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 226 sink  
**Lab Sample ID:** 420-110103-61

Date Sampled: 09/13/2016 0534  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1751	
Prep Method: 200			Date Prepared:	09/16/2016 1040	
Pb	2.35	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 239 sink  
**Lab Sample ID:** 420-110103-62

Date Sampled: 09/13/2016 0534  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1754	
Prep Method: 200			Date Prepared:	09/16/2016 1040	
Pb	8.27	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 227 sink  
**Lab Sample ID:** 420-110103-63

Date Sampled: 09/13/2016 0535  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1758	
Prep Method: 200			Date Prepared:	09/16/2016 1040	
Pb	1.66	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 238 sink  
**Lab Sample ID:** 420-110103-64

Date Sampled: 09/13/2016 0535  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1801	
Prep Method: 200			Date Prepared:	09/16/2016 1040	
Pb	1.46	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Classroom 229 Bathroom sink  
**Lab Sample ID:** 420-110103-65

Date Sampled: 09/13/2016 0536  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1805	
Prep Method: 200			Date Prepared:	09/16/2016 1040	
Pb	9.20	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** 2nd grade bathroom 1st sink on left  
**Lab Sample ID:** 420-110103-66

Date Sampled: 09/13/2016 0537  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1808	
Prep Method: 200			Date Prepared:	09/16/2016 1040	
Pb	2.24	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** 2nd grade bathroom 2nd sink from left  
**Lab Sample ID:** 420-110103-67

Date Sampled: 09/13/2016 0538  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1812	
Prep Method: 200			Date Prepared:	09/16/2016 1040	
Pb	1.72	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** 2nd grade bathroom 3rd sink from left  
**Lab Sample ID:** 420-110103-68

Date Sampled: 09/13/2016 0533  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1815		
Prep Method: 200			Date Prepared: 09/16/2016 1040		
Pb	1.44	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** 2nd grade bathroom 4th sink from left  
**Lab Sample ID:** 420-110103-69

Date Sampled: 09/13/2016 0539  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1819		
Prep Method: 200			Date Prepared: 09/16/2016 1040		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Slop sink acrss from 2nd grade bathrooms  
**Lab Sample ID:** 420-110103-70

Date Sampled: 09/13/2016 0540  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1829		
Prep Method: 200			Date Prepared: 09/16/2016 1040		
Pb	22.3 g	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Outside spigot by barrel room  
**Lab Sample ID:** 420-110103-71

Date Sampled: 09/13/2016 0548  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1833	
Prep Method: 200			Date Prepared:	09/16/2016 1040	
Pb	36.3 g	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Courtyard spigot #1  
**Lab Sample ID:** 420-110103-72

Date Sampled: 09/13/2016 0555  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1836	
Prep Method: 200			Date Prepared:	09/16/2016 1040	
Pb	9.98	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Courtyard spigot #2  
**Lab Sample ID:** 420-110103-73

Date Sampled: 09/13/2016 0557  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/21/2016 1540	
Prep Method: 200			Date Prepared:	09/19/2016 1100	
Pb	2520 g	ug/L	100	100	100



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Courtyard spigot #3  
**Lab Sample ID:** 420-110103-74

Date Sampled: 09/13/2016 0559  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1840		
Prep Method: 200			Date Prepared: 09/16/2016 1040		
Pb	15.2 g	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** PPS Bathroom sink  
**Lab Sample ID:** 420-110103-75

Date Sampled: 09/13/2016 0602  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1843	
Prep Method: 200			Date Prepared:	09/16/2016 1040	
Pb	2.44	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** PPS Bldg. Water Fountain  
**Lab Sample ID:** 420-110103-76

Date Sampled: 09/13/2016 0602  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1847		
Prep Method: 200			Date Prepared: 09/16/2016 1040		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** PPS Slop Sink  
**Lab Sample ID:** 420-110103-77

Date Sampled: 09/13/2016 0606  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1851		
Prep Method: 200			Date Prepared: 09/16/2016 1040		
Pb	1.87	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Outside spigot behind PPS  
**Lab Sample ID:** 420-110103-78

Date Sampled: 09/13/2016 0608  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1854	
Prep Method: 200			Date Prepared:	09/16/2016 1250	
Pb	89.5 g	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Outside spigt by flag  
**Lab Sample ID:** 420-110103-79

Date Sampled: 09/13/2016 0609  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/21/2016 1207		
Prep Method: 200			Date Prepared: 09/19/2016 1100		
Pb	260 g	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Spigot by kindergarten wing enterance  
**Lab Sample ID:** 420-110103-80

Date Sampled: 09/13/2016 0629  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1915		
Prep Method: 200			Date Prepared: 09/16/2016 1250		
Pb	82.2 g	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Spigot by Playground  
**Lab Sample ID:** 420-110103-81

Date Sampled: 09/13/2016 0631  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1919		
Prep Method: 200			Date Prepared: 09/16/2016 1250		
Pb	26.8 g	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Spigot by Playground #2  
**Lab Sample ID:** 420-110103-82

Date Sampled: 09/13/2016 0633  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 09/16/2016 1922		
Prep Method: 200			Date Prepared: 09/16/2016 1250		
Pb	9.85	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-110103-1  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Client Sample ID:** Spigot by Playground #3  
**Lab Sample ID:** 420-110103-83

Date Sampled: 09/13/2016 0636  
Date Received: 09/13/2016 1144  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	09/16/2016 1926	
Prep Method: 200			Date Prepared:	09/16/2016 1250	
Pb	20.4 g	ug/L	1.00	1.00	1.0

## DATA REPORTING QUALIFIERS

Client: Orange-Ulster BOCES

Job Number:  
Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

<b>Lab Section</b>	<b>Qualifier</b>	<b>Description</b>
Metals		
	g	Result fails applicable NYS drinking water standards
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

## Certification Information

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

---

### **The following analytes are Not Part of the ELAP scope of accreditation**

Sulfur, Tungsten, Silicon, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide, Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Phenolphthalien Alkalinity, Solids (Fixed), Solids (Percent), Solids (Percent Moisture) , Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), Total Inorganic Carbon, Volatile Acids as Acetic Acid, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, Iron Bacteria, Salmonella, & Sulfur Reducing Bacteria.

### **The following analytes are Not Part of ELAP Potable Water scope of accreditation**

Cobalt (200.7, 200.8), Tin (200.7), Strontium (200.7), Gold (200.7), Platinum (200.7), Palladium (200.7), Titanium (200.7), Phosphorus (365.3), Nitrate-Nitrite (10-107-4-1C, 353.2), m-Xylene & p-Xylene (502.2, 524), Naphthalene (502.2), o-Xylene (502.2, 524), & Fecal Coliform (9222D).

### **The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation**

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

### **The following analytes are Not Part of ELAP Non Potable Water scope of accreditation**

Dissolved Organic Carbon (5310C), Mecoprop (8151A), & MCPA (8151A).

## Definitions and Glossary

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

---

<u>Abbreviation</u>	<u>These commonly used abbreviations may or may not be present in this report.</u>
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points

PROJECT REFERENCE Port Jervis CSD-Anna S. Kuhl (ASK) Elementary		PROJECT NO.	MATRIX TYPE	REQUIRED ANALYSES							PAGE 1 of 1			
ENVIROTEST PROJECT MANAGER Debra Bayer		P.O. NUMBER	OTHER SPECIFY	Other	Other	Terra Core	250ml Plastic	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic Nitric Acid	Liter Amber HCl	40ml Vials HCl	Total # of Containers	
CLIENT (SITE) PM Jack DeGraw		CLIENT PHONE 781-4887		AQUEOUS (WATER)										TURNAROUND TIME
CLIENT NAME Orange-Ulster BOCES		CLIENT FAX	COMPOSITE (C) OR GRAB (G) INDICATE										NORMAL	
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924		christy.fischer@oubooces.org	D (Drinking Water) or W (Waste Water) Indicate										QUICK	
COMPANY CONTRACTING THIS WORK (if applicable)			SOLID OR SEMISOLID										VERBAL	
SAMPLE IDENTIFICATION				NUMBER OF CONTAINERS SUBMITTED							#OF COOLERS	REMARKS		
DATE	TIME			1	1	1	1	1	1	1	1	1	1	Lead (DW 200.8)
9/13/2016	0433	Room 121 - Art Room sink	G											Lead (DW 200.8)
9/13/2016	0435	Boy's bathroom across from boiler room left sink	G											Lead (DW 200.8)
9/13/2016	0436	Boy's bathroom across from boiler room right sink	G											Lead (DW 200.8)
9/13/2016	0437	Boy's BR across from boiler rm center spigot	G											Lead (DW 200.8)
9/13/2016	0438	Girl's bathroom sink across from boiler room	G											Lead (DW 200.8)
9/13/2016	0440	Classroom 39 sink	G											Lead (DW 200.8)
9/13/2016	0441	Classroom 24 sink	G											Lead (DW 200.8)
9/13/2016	0441	Classroom 38 sink	G											Lead (DW 200.8)
9/13/2016	0442	Classroom 25 sink	G											Lead (DW 200.8)
9/13/2016	0443	Classroom 37 sink	G											Lead (DW 200.8)
9/13/2016	0444	Classroom 26 sink	G											Lead (DW 200.8)
9/13/2016	0444	Classroom 36 sink	G											Lead (DW 200.8)
9/13/2016	0445	Classroom 27 sink	G											Lead (DW 200.8)
RELINQUISHED BY (SIGNATURE) Traverse DeJoy		COMPANY Orange-Ulster BOCES	DATE 9/13/16	TIME 1144	RECEIVED BY (SIGNATURE)							COMPANY DATE	TIME	
SAMPLED BY (SIGNATURE) Traverse DeJoy		COMPANY Orange-Ulster BOCES	DATE 9/13/16	TIME 0636	RECEIVED BY (SIGNATURE)							COMPANY DATE	TIME	
RELINQUISHED BY (SIGNATURE)		COMPANY	DATE	TIME	RECEIVED BY (SIGNATURE)							COMPANY DATE	TIME	

RECEIVED FOR LABORATORY BY (SIGNATURE)  
*Q. Emond* ETL

DATE 9/13/16 1144

CUSTODY INTACT YES NO

COOLER Temp (C) 21.9°C

LABORATORY REMARKS: ICE (Y)  No  pH  CL2  Reversed by \_\_\_\_\_

IR #3

PROJECT REFERENCE Port Jervis CSD-Anna S.Kuhl (ASK) Elementary		PROJECT LOCATION		MATRIX TYPE		REQUIRED ANALYSES						PAGE # of 1	
ENVROTEST PROJECT MANAGER Debra Bayer		TOWN		OTHER SPECIFY		40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic	Terra Core	Other	TURNAROUND TIME
CLIENT (SITE) PM Jack DeGraw		CLIENT PHONE 781-4887		AQUEOUS (WATER)		Liter Amber HCl	Liter Plastic	Liter Plastic	Liter Plastic	Liter Plastic	Other	NORMAL	
CLIENT NAME Orange-Ulster BOCES		christy.fischer@ouboces.org		COMPOSITE (C) OR GRAB (G) INDICATE		Liter Amber HCl	Liter Plastic	Liter Plastic	Liter Plastic	Liter Plastic	Other	QUICK	
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924		SAMPLE IDENTIFICATION		DATE		NUMBER OF CONTAINERS SUBMITTED						# OF COOLERS	REMARKS
COMPANY CONTRACTING THIS WORK (If applicable)		DATE		TIME		1	1	1	1	1	1	1	Lead (DW 200.8)
14		9/13/2016		0446		1	1	1	1	1	1	1	Lead (DW 200.8)
15		9/13/2016		0446		1	1	1	1	1	1	1	Lead (DW 200.8)
16		9/13/2016		0448		1	1	1	1	1	1	1	Lead (DW 200.8)
17		9/13/2016		0448		1	1	1	1	1	1	1	Lead (DW 200.8)
18		9/13/2016		0449		1	1	1	1	1	1	1	Lead (DW 200.8)
19		9/13/2016		0449		1	1	1	1	1	1	1	Lead (DW 200.8)
20		9/13/2016		0450		1	1	1	1	1	1	1	Lead (DW 200.8)
21		9/13/2016		0453		1	1	1	1	1	1	1	Lead (DW 200.8)
22		9/13/2016		0454		1	1	1	1	1	1	1	Lead (DW 200.8)
23		9/13/2016		0456		1	1	1	1	1	1	1	Lead (DW 200.8)
24		9/13/2016		0457		1	1	1	1	1	1	1	Lead (DW 200.8)
25		9/13/2016		0458		1	1	1	1	1	1	1	Lead (DW 200.8)
26		9/13/2016		0500		1	1	1	1	1	1	1	Lead (DW 200.8)
RELINQUISHED BY (SIGNATURE) Matthew B. DeGraw		DATE 9/13/16		TIME 11:44		RECEIVED BY (SIGNATURE)						COMPANY DATE	TIME
SAMPLED BY (SIGNATURE) Matthew B. DeGraw		DATE 9/13/16		TIME 08:00		RECEIVED BY (SIGNATURE) J.E. 9/13/16						COMPANY DATE	TIME
RELINQUISHED BY (SIGNATURE)		DATE		TIME		RECEIVED BY (SIGNATURE)						COMPANY DATE	TIME

RECEIVED FOR LABORATORY BY (SIGNATURE) *Q. Elmendorf* ETL

DATE 9/13/16 TIME 1144

CUSTODY INTACT YES NO

COOLER TEMP(C) 21.90C

LABORATORY REMARKS: ICE (Y/N) pH CL2

RECEIVED BY

IR # 3

Lab Name  
Address & Phone

EnviroTest Laboratories  
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PAGE 1 of 1

PROJECT REFERENCE Port Jervis CSD-Anna S. Kuhl (ASK) Elementary ENVIROTEST PROJECT MANAGER Debra Bayer		PROJECT LOCATION TOWN CLIENT PHONE 781-4887 CLIENT FAX christy.fischer@oubooces.org		MATRIX TYPE OTHER Specify		REQUIRED ANALYSES						TURNAROUND TIME									
CLIENT (SITE) PM Jack DeGraw		CLIENT NAME Orange-Ulster BOCES		COMPOSITE (C) OR GRAB (G) INDICATE		250ml Plastic Nitric Acid		250ml Plastic Sulfuric Acid		Liter Plastic		250ml Plastic Nitric Acid		LITER Amber HCl		40ml Vials HCl		Total # of Containers			
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924		COMPANY CONTRACTING THIS WORK (if applicable)		SAMPLE IDENTIFICATION		D (Drinking Water) or W (Waste Water) Indicate		SOLID OR SEMISOLID		OTHER		Terra Core		Other		Other		OTHER			
DATE		TIME		SAMPLE		COMPOSITE (C) OR GRAB (G) INDICATE		SOLID OR SEMISOLID		OTHER		Terra Core		Other		Other		OTHER			
27	9/13/2016	0501		AP's Office (176E) Boys' bathroom sink on left		G	D														
28	9/13/2016	0501		AP's Office (176E) Girls' bathroom sink on left		G	D														
29	9/13/2016	0502		AP's Office (176E) Girls' bathroom sink on right		G	D														
30	9/13/2016	0503		Nurse's Bathroom sink		G	D														
31	9/13/2016	0505		Room 96 Psychologist sink		G	D														
32	9/13/2016	0507		(170D) Girl's locker room sink		G	D														
33	9/13/2016	0508		(170C) Boy's locker room sink		G	D														
34	9/13/2016	0510		Kindergarten wing slop sink		G	D														
35	9/13/2016	0511		Classroom 94 Bathroom sink		G	D														
36	9/13/2016	0511		Classroom 94 sink		G	D														
37	9/13/2016	0512		Classroom 86 sink		G	D														
38	9/13/2016	0513		Classroom 86 bathroom sink		G	D														
39	9/13/2016	0513		Classroom 93 sink		G	D														
RELINQUISHED BY: (SIGNATURE) Nancy B. DeGraw		DATE 9/13/16		COMPANY Orange-Ulster BOCES		TIME 1144		RECEIVED BY: (SIGNATURE)		DATE 9/13/16		COMPANY Orange-Ulster BOCES		TIME 0800		RECEIVED BY: (SIGNATURE) D.E. 9/13/16		DATE 9/13/16		COMPANY Orange-Ulster BOCES	

RECEIVED FOR LABORATORY BY: (SIGNATURE) A. E. Mendicino		DATE 9/13/16		TIME 1144		CUSTODY INTACT YES NO		Cooler Temp(C): 21.90C		LABORATORY REMARKS: ICE (Y/N) pH CL2		Reviewed by	
--	--	-----------------	--	--------------	--	-----------------------------	--	---------------------------	--	--------------------------------------	--	-------------	--

IR #3





# EnviroTest Laboratories, Inc.

## CHAIN OF CUSTODY

Lab Name  
Address & Phone

EnviroTest Laboratories  
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

REPORT# (Lab Use Only)

110103

587

PROJECT REFERENCE Port Jervis CSD-Anna S. Kuhl (ASK) Elementary ENVROTEST PROJECT MANAGER Debra Bayer		PROJECT LOCATION TOWN CLIENT PHONE 781-4887 CLIENT FAX		MATRIX TYPE OTHER Specify		REQUIRED ANALYSES								PAGE 1 of 1				
CLIENT (SITE) PM Jack DeGraw		CLIENT NAME Orange-Ulster BOCES		CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924 COMPANY CONTRACTING THROUGH WORKS OF AMERICA		TOTAL # OF CONTAINERS 40ml Vials HCl Liter Amber HCl 250ml Plastic Nitric Acid Liter Plastic 250ml Plastic Sulfuric Acid Terra Core Other Other		TURNAROUND TIME		NORMAL		QUICK		VERBAL				
SAMPLE IDENTIFICATION		NUMBER OF CONTAINERS SUBMITTED		# OF COOLERS		REMARKS												
DATE	TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	D (Drinking Water) or W (Waste Water) Indicate	SOLID OR SEMISOLID	OTHER Specify	Total # of Containers	40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic Sulfuric Acid	Terra Core	Other	Other		
9/13/2016	0536	2nd floor Boy's bathroom sink by elevator	G	D				1			1						Lead (DW 200.8)	
9/13/2016	0536	2nd floor Girls' bathroom sink by elevator	G	D				1			1						Lead (DW 200.8)	
9/13/2016	0537	2nd floor slop sink by elevator	G	D				1			1						Lead (DW 200.8)	
9/13/2016	0531	Classroom 242 sink	G	D				1			1						Lead (DW 200.8)	
9/13/2016	0532	Classroom 224 sink	G	D				1			1						Lead (DW 200.8)	
9/13/2016	0532	Classroom 241 sink	G	D				1			1						Lead (DW 200.8)	
9/13/2016	0533	Classroom 225 sink	G	D				1			1						Lead (DW 200.8)	
9/13/2016	0533	Classroom 240 sink	G	D				1			1						Lead (DW 200.8)	
9/13/2016	0534	Classroom 226 sink	G	D				1			1						Lead (DW 200.8)	
9/13/2016	0534	Classroom 239 sink	G	D				1			1						Lead (DW 200.8)	
9/13/2016	0535	Classroom 227 sink	G	D				1			1						Lead (DW 200.8)	
9/13/2016	0535	Classroom 238 sink	G	D				1			1						Lead (DW 200.8)	
9/13/2016	0536	Classroom 229 Bathroom sink	G	D				1			1						Lead (DW 200.8)	
RELINQUISHED BY: (SIGNATURE) Theresa B. DeGraw		COMPANY Orange-Ulster BOCES	DATE 9/13/16	TIME 1144	RECEIVED BY: (SIGNATURE)		COMPANY DATE	RECEIVED BY: (SIGNATURE) DE 9/13/16	COMPANY DATE	RECEIVED BY: (SIGNATURE)	COMPANY DATE	RECEIVED BY: (SIGNATURE)	COMPANY DATE	RECEIVED BY: (SIGNATURE)	COMPANY DATE	RECEIVED BY: (SIGNATURE)	COMPANY DATE	RECEIVED BY: (SIGNATURE)

RECEIVED FOR LABORATORY BY: (SIGNATURE) Debra Bayer		DATE 9/13/16	TIME 1144	CUSTODY INTACT YES NO	Cooler Temp (C) 21.9°C	LABORATORY REMARKS: ICE (Y/N) PH CL2 Reviewed by	
--	--	-----------------	--------------	-----------------------------	---------------------------	--	--

IR # 3

110103

Enviro Test Laboratories  
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

6087

PROJECT REFERENCE Port Jervis CSD-Anna S. Kuhl (ASK) Elementary		PROJECT LOCATION TOWN	MATRIX TYPE	REQUIRED ANALYSES							PAGE 1 of 1	
ENVIROTEST PROJECT MANAGER Debra Bayer		CLIENT PHONE 781-4887	OTHER SPECIFY	40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic	Terra Core	Other	TURNAROUND TIME
CLIENT (SITE) PM Jack DeGraw		CLIENT FAX	LIQUID OR SEMISOLID	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic	Terra Core	Other	OTHER	NORMAL
CLIENT NAME Orange-Ulster BOCES		christy.fischer@oubooces.org	AQUEOUS (WATER)	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic	Terra Core	Other	OTHER	QUICK
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924			COMPOSITE (C) OR GRAB (G) INDICATE	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic	Terra Core	Other	OTHER	VERBAL
COMPANY CONTRACTING THIS WORK (if applicable)				NUMBER OF CONTAINERS SUBMITTED							# OF COOLERS	
SAMPLE		SAMPLE IDENTIFICATION										
DATE	TIME											
9/13/2016	0537	2nd grade bathroom 1st sink on left	G	1	1	1	1	1	1	1	1	Lead (DW 200.8)
9/13/2016	0538	2nd grade bathroom 2nd sink from left	G	1	1	1	1	1	1	1	1	Lead (DW 200.8)
9/13/2016	0538	2nd grade bathroom 3rd sink from left	G	1	1	1	1	1	1	1	1	Lead (DW 200.8)
9/13/2016	0539	2nd grade bathroom 4th sink from left	G	1	1	1	1	1	1	1	1	Lead (DW 200.8)
9/13/2016	0540	Slop sink across from 2nd grade bathrooms	G	1	1	1	1	1	1	1	1	Lead (DW 200.8)
9/13/2016	0548	Outside spigot by barrel room	G	1	1	1	1	1	1	1	1	Lead (DW 200.8)
9/13/2016	0555	Courtyard spigot #1	G	1	1	1	1	1	1	1	1	Lead (DW 200.8)
9/13/2016	0557	Courtyard spigot #2	G	1	1	1	1	1	1	1	1	Lead (DW 200.8)
9/13/2016	0559	Courtyard spigot #3	G	1	1	1	1	1	1	1	1	Lead (DW 200.8)
9/13/2016	0602	PPS Bathroom sink	G	1	1	1	1	1	1	1	1	Lead (DW 200.8)
9/13/2016	0602	PPS Bldg. Water Fountain	G	1	1	1	1	1	1	1	1	Lead (DW 200.8)
9/13/2016	0606	PPS Slop Sink	G	1	1	1	1	1	1	1	1	Lead (DW 200.8)
9/13/2016	0608	Outside spigot behind PPS	G	1	1	1	1	1	1	1	1	Lead (DW 200.8)
RELINQUISHED BY (SIGNATURE) <i>Nancy DeGraw</i>			DATE	RECEIVED BY (SIGNATURE)		COMPANY DATE		TIME		REMARKS		
SAMPLED BY (SIGNATURE) <i>Nancy DeGraw</i>			DATE	RECEIVED BY (SIGNATURE) <i>EE 11/13/16</i>		COMPANY DATE		TIME		REMARKS		
RELINQUISHED BY (SIGNATURE)			DATE	RECEIVED BY (SIGNATURE)		COMPANY DATE		TIME		REMARKS		

RECEIVED FOR LABORATORY BY (SIGNATURE) <i>Q Elmendorf</i>	DATE 9/13/16	TIME 1144	CUSTODY INTACT YES NO	COOLER TEMP (C) 21.9°C	LABORATORY REMARKS ICE (Y/N) pH CL2	Reviewed by
IR #3						

PROJECT REFERENCE Port Jervis CSD-Anna S. Kuhl (ASK) Elementary		PROJECT LOCATION		MATRIX TYPE		REQUIRED ANALYSES		PAGE 1 of 1	
ENVROTEST PROJECT MANAGER Debra Bayer		TOWN		SOLID OR SEMISOLID		250ml Plastic		TURNAROUND TIME	
CLIENT (SITE)/PM Jack DeGraw		CLIENT PHONE 781-4887		D (Drinking Water) or W (Waste Water) Indicate		Liter Plastic		NORMAL	
CLIENT NAME Orange-Ulster BOCES		CLIENT FAX		AQUEOUS (WATER)		250ml Plastic Sulfuric Acid		QUICK	
CLIENT ADDRESS 53 Gibson Road, Goshen, NY 10924		christy.fischer@oubooces.org		COMPOSITE (C) OR GRAB (G) INDICATE		Liter Amber HCl		VERBAL	
COMPANY CONTRACTING THIS WORK (If applicable)						40ml Vials HCl		# OF COOLERS	
SAMPLE		SAMPLE IDENTIFICATION				250ml Plastic Nitric Acid		REMARKS	
DATE	TIME					NUMBER OF CONTAINERS SUBMITTED			
9/13/2016	0607	Outside spigot by flag		G		1		Lead (DW 200.8)	
9/13/2016	0624	Spigot by kindergarten wing entrance		G		1		Lead (DW 200.8)	
9/13/2016	0631	Spigot by Playground		G		1		Lead (DW 200.8)	
9/13/2016	0633	Spigot by Playground #2		G		1		Lead (DW 200.8)	
9/13/2016	0636	Spigot by Playground #3		G		1		Lead (DW 200.8)	
RELINQUISHED BY: (SIGNATURE)		DATE		TIME		RECEIVED BY: (SIGNATURE)		TIME	
<i>Nancy B. DeGraw</i>		9/13/16		1144		<i>Christy Fischer</i>			
COMPANY		DATE		TIME		RECEIVED BY: (SIGNATURE)		TIME	
Orange-Ulster BOCES		9/13/16		0800		<i>Christy Fischer</i>			
RELINQUISHED BY: (SIGNATURE)		DATE		TIME		RECEIVED BY: (SIGNATURE)		TIME	
<i>Nancy B. DeGraw</i>		9/13/16		0800		<i>Christy Fischer</i>			
COMPANY		DATE		TIME		RECEIVED BY: (SIGNATURE)		TIME	
Orange-Ulster BOCES		9/13/16		1144		<i>Christy Fischer</i>			
RECEIVED FOR LABORATORY BY: (SIGNATURE)		DATE		TIME		CUSTODY INTACT		Cooler Temp(C):	
<i>A. Dimand</i>		9/13/16		1144		YES NO		21.9°C	
COMPANY		DATE		TIME		LABORATORY REMARKS:		ICE (Y) N (L) PH CL2	
ETL		9/13/16		1144		IR #3		Reviewed by	

## LOGIN SAMPLE RECEIPT CHECK LIST

Client: Orange-Ulster BOCES

Job Number: 420-110103-1

SDG Number: Port Jervis CSD- Anna S. Kuhl (ASK) Elem

**Login Number: 110103**

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is recorded.	True	21.9 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	True	Method does not require cooling
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	